



SAFETY DATA SHEET

122000010232

Advantus

Version 1.0

Revision Date 05/28/2013

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**Product information**

Product Name: Advantus
MSDS Number: 122000010232

Use : veterinary medicine, unfinished

Company

BAYER HEALTHCARE LLC
Animal Health Division
12707 Shawnee Mission Parkway
(West 63rd)
Shawnee, KS 66216-1846
USA
(800) 633-3796

In case of emergency: (800) 422-9874
Chemtrec: (800) 424-9300
BAYER INFORMATION PHONE:(800) 633-3796
INTERNATIONAL:(703) 527-3887

2. HAZARDS IDENTIFICATION**Emergency Overview**

Form: solid

GHS Classification:

Not a dangerous substance / mixture according to GHS.

GHS Label element:

Not a dangerous substance / mixture according to GHS.

Hazard Communication (29CFR 1910.1200)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Advantus

Version 1.0

Revision Date 05/28/2013

Weight percent	Components	CAS-No.
7 - 13%	Tradeseecret	
10 - 30%	Polyhydric alcohol	
10 - 30%	(Pregelatinized) Starch	
1 - 5%	Tradeseecret	
1 - 5%	Tradeseecret	

Other Ingredients		CAS-No.
Weight percent	Components	
0.312%	Imidacloprid	138261-41-3

4. FIRST AID MEASURES

General advice: Take off all contaminated clothing immediately.

If inhaled: Remove to fresh air. If symptoms persist, call a physician.

In case of skin contact: After contact with skin, wash immediately with plenty of soap and water. If skin reactions occur, contact a physician.

In case of eye contact: In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

If swallowed: If swallowed, seek medical advice immediately and show this container or label.

Most important symptoms and effects, both acute and delayed : No information available.
No information available.

Notes to physician : No information available.

Contact Number: Use the Bayer Emergency Number in Section 1

5. FIREFIGHTING MEASURES

Suitable extinguishing media: Any

Specific hazards during firefighting: Fire may cause evolution of: Carbon monoxide (CO)
Carbon dioxide (CO₂)

Special protective equipment for firefighters: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Further information: Prevent fire extinguishing water from contaminating surface water or the

Advantus

Version 1.0

Revision Date 05/28/2013

Odour:	No applicable information is available
Odour Threshold:	No applicable information is available
Melting point:	No applicable information is available
Boiling point/boiling range:	No applicable information is available
Density:	No applicable information is available
Bulk density:	No applicable information is available
Vapour pressure:	No applicable information is available
Viscosity, dynamic:	No applicable information is available
Viscosity, kinematic:	No applicable information is available
Flow time:	No applicable information is available
Surface tension:	No applicable information is available
Miscibility with water:	No applicable information is available
Water solubility:	No applicable information is available
pH:	No applicable information is available
Relative density:	No applicable information is available
Partition coefficient:	No applicable information is available
Solubility(ies):	No applicable information is available
Flash point:	No applicable information is available
Flammability (solid, gas):	No applicable information is available
Ignition temperature:	No applicable information is available
Explosion limits:	No applicable information is available

10. STABILITY AND REACTIVITY

Conditions to avoid: no data available

Materials to avoid: Oxidizing agents

Hazardous reactions: None known.

Thermal decomposition:

no data available

Hazardous decomposition products:

Carbon monoxide (CO), Carbon dioxide (CO₂)

Oxidizing properties:

No statements available.

Impact Sensitivity:

no data available

Advantus

Version 1.0

Revision Date 05/28/2013

11. TOXICOLOGICAL INFORMATION**Other information on toxicity:**

Polyhydric alcohol

Inhalation of vapors causes irritation of the respiratory tract.

Ingestion of large quantities: Vomiting, Abdominal pain, headaches, Dizziness, Diarrhoea, Cyanosis

Acute oral toxicity:

Imidacloprid

LD50 rat: 424 mg/kg

Polyhydric alcohol

LD50 rat: > 2,000 mg/kg

(Pregelatinized) Starch

Tradeseecret

LD50 rat: > 2,000 mg/kg

Tradeseecret

LD50 rat: 4,640 mg/kg

Acute inhalation toxicity:

Imidacloprid

LC50 rat: > 5.323 mg/l, 4 h

Method: OECD Test Guideline 403

LC50rat: > 69 mg/l, 4 h

Polyhydric alcohol

LC50 rat, male: > 2.75 mg/l, 4 h

Method: Calculation method

Acute dermal toxicity:

Imidacloprid

LD50 rat: > 5,000 mg/kg

Polyhydric alcohol

LD50 rabbit: > 18,700 mg/kg

Tradeseecret

LD50 rabbit: > 5,000 mg/kg

Acute toxicity (other routes of administration):

(Pregelatinized) Starch

LD50 intraperitoneal mouse: 6,600 mg/kg

Tradeseecret

LD50 intravenous mouse: 23 mg/kg

Skin irritation:

Advantus

Version 1.0

Revision Date 05/28/2013

Imidacloprid
rabbit
Result: No skin irritation

Tradesecret
Result: May irritate skin.

Polyhydric alcohol
rabbit
Result: No skin irritation

(Pregelatinized) Starch
rabbit
Result: Mild skin irritation
Method: Draize Test

Tradesecret
rabbit
Result: No skin irritation
Method: Draize Test

Tradesecret
rabbit
Result: Moderate skin irritation

Eye irritation:

Imidacloprid
rabbit
Result: No eye irritation

Tradesecret
Result: May irritate eyes.

Polyhydric alcohol
rabbit
Result: No eye irritation

Tradesecret
rabbit
Result: No eye irritation
Method: Draize Test

Tradesecret
Result: No eye irritation
Test substance: Data on a comparable substance

Sensitisation:

Imidacloprid
Skin sensitization guinea pig
Result: Did not cause sensitization on laboratory animals.
Method: Magnusson and Kligmann maximization test

Advantus

Version 1.0

Revision Date 05/28/2013

Polyhydric alcohol

Patch test on human volunteers did not demonstrate sensitization properties.

Genotoxicity in vitro:

Imidacloprid

Ames test

Result: negative

Polyhydric alcohol

Ames test

Result: negative

Tradesecret

Ames test Escherichia coli

Result: negative

Tradesecret

Ames test

Result: negative

Test substance: Data on a comparable substance

Pharmaceutic effects:

Imidacloprid

Insecticide

Carcinogenicity:

No Carcinogenic substances as defined by IARC, NTP and/or OSHA

STOT - single exposure:

no data available

STOT - repeated exposure:

no data available

12. ECOLOGICAL INFORMATION**General advice:**

Do not allow to enter surface waters or groundwater.

Toxicity to fish:

Imidacloprid

Acute Fish toxicity: LC50 280 mg/l

Test species: Cyprinus carpio (Carp) Duration of test: 96 h

Acute Fish toxicity: LC50 211 mg/l

Test species: Oncorhynchus mykiss (rainbow trout) Duration of test: 96 h

Acute Fish toxicity: LC50 237 mg/l

Test species: Leuciscus idus (Golden orfe) Duration of test: 96 h

Advantus

Version 1.0

Revision Date 05/28/2013

Polyhydric alcohol

Acute Fish toxicity: LC50 > 5,000 mg/l

Test species: *Carassius auratus* (goldfish) Duration of test: 24 h

Acute Fish toxicity: LC100 51,000 - 57,000 mg/l

Test species: *Oncorhynchus mykiss* (rainbow trout) Duration of test: 96 h

Acute Fish toxicity: LC50 > 250 mg/l

Test species: *Leuciscus idus* (Golden orfe) Duration of test: 48 h

Tradesecret

semi-static test: LC50 > 100 mg/l

Test species: *Leuciscus idus* (Golden orfe)

Method: ISO 7346/2

LC50 > 100 mg/l

Test species: *Danio rerio* (zebra fish)

Method: ISO 7346/2

Toxicity to daphnia and other aquatic invertebrates:

Imidacloprid

EC50 0.055 mg/l

Test species: *Hyalella azteca* Duration of test: 96 h

Polyhydric alcohol

EC50 > 10,000 mg/l

Test species: *Daphnia magna* (Water flea) Duration of test: 24 h

EC0 > 500 mg/l

Test species: *Daphnia magna* (Water flea) Duration of test: 24 h**Toxicity to algae:**

Imidacloprid

EC50 > 100 mg/l

tested on: *Pseudokirchneriella subcapitata* (green algae) Duration of test: 72 h

EC50 > 10 mg/l

tested on: *Desmodesmus subspicatus* (green algae) Duration of test: 72 h

Polyhydric alcohol

IC5 > 10,000 mg/l

tested on: *Scenedesmus quadricauda* (Green algae) Duration of test: 7 d**Toxicity to bacteria:**

Imidacloprid

EC50 > 10,000 mg/l

tested on: activated sludge micro-organism

Method: OECD TG 209

Polyhydric alcohol

EC5 > 10,000 mg/l

tested on: *Pseudomonas putida*

Duration of test: 16 h

Advantus

Version 1.0

Revision Date 05/28/2013

EC5 3,200 mg/l
tested on: Protozoa
Duration of test: 72 h

Tradesecret
EC0 > 100 mg/l
tested on: Pseudomonas putida
Test substance: Data on a comparable substance

Biodegradability:

Tradesecret
rapidly biodegradable

Polyhydric alcohol
63 %, 14 d rapidly biodegradable
Method: OECD TG 301 C

Tradesecret
> 60 %, rapidly biodegradable
Test substance: Data on a comparable substance

Bioaccumulation:

Imidacloprid

Low potential for bioaccumulation

Polyhydric alcohol

Bioaccumulation is unlikely.

13. DISPOSAL CONSIDERATIONS

If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Waste disposal should be in accordance with existing federal, state and local environmental control laws.

14. TRANSPORT INFORMATION

Land transport (CFR)
Non-Regulated

Sea transport (IMDG)
Non-Regulated

Advantus

Version 1.0

Revision Date 05/28/2013

Air transport (ICAO / IATA cargo aircraft only)
Non-Regulated

Air transport (ICAO / IATA passenger and cargo aircraft)
Non-Regulated

15. REGULATORY INFORMATION

Other regulations: No statements available.

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A)

Components

None

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required

Components

None

US. EPA CERCLA Hazardous Substances (40 CFR 302) Components

None

Massachusetts, New Jersey or Pennsylvania Right to Know Substance Lists

Weight percent	Components	CAS-No.
10 - 30%	Polyhydric alcohol	
10 - 30%	(Pregelatinized) Starch	

California Prop. 65

To the best of our knowledge, this product does not contain any of the listed chemicals, which the state of California has found to cause cancer, birth defects or other reproductive harm.

OSHA Hazcom Standard Rating Hazardous

16. OTHER INFORMATION

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.